



1	1
1	1
2	2
2	3
1	3
2	3
3	4
4	5
5	7
3	10
1	10
2	10
3	12
4	13
5	14
6	15
4	16
1	16
2	17
3	18
4	19
5	20
6	22
	23



가 (A) , (B) (B) (A)

: A - 296, B - 203 (- 499)

: A - 153, B - 87 (- 240)



Empty rectangular box for answer

1



Empty rectangular box for answer


1 (1)



Empty rectangular box for answer




1. (A)
2. (A)
 - 1)
 - 2)
3. (A)
 - 1) (biomedical model)
 - 2) (epidemiological model)
 - 3) (socio-behavioral model)
4. (A)



1. .(A)
2. (comprehensive health care)
. (A)
3. .(A)
4. .(B)
5. .(B)
6. .(B)

2



1

(1)



1. .(A)
2. .(A)
3. .(A)
4. ,

- (1) Snow (A)
- (2) (A)
- (3) Goldberger pellagra (B)

2

(1)



1. (multiple causation)

- .(A)
- (1) (wheel model)
 - (2) (triangle model)
 - (3) (web of causation)
2. (B)
- (1)
 - (2)
 - (3)
3. (A)
4. (B)



1. (validity) (reliability)
- .(A)
2. (B)
3. (B)
4. 5가 , (A)

 - (1) , (sensitivity)
 - (2) , (specificity)
 - (3) (predictability)
 - (4) , (false positive)
 - (5) , (false negative)

5. (sources of information)
- .(A)
6. (B)
- 7.
- .(A)
8. ,



.(A)

(1)

(2)

(3)

(4) (, ,)

(5)

(6)

(7)

(8)

9. .(B)

10. .(A)

11. .(A)

12. (rate), (proportion) (ratio) ,

.(A)

13. .(A)

14. . (B)

15.

.

(1) (incidence rate)(A)

(2) (prevalence rate)(A)

(3) (attack rate)(A)

(4) 2 (secondary attack rate)(B)

16. ,

.(A)

4

(4)



1

1. 가

.(B)

2. (pilot study)가

.(B)

3. (confounding bias) (selection bias), (information bias),
. (A)

4. . (B)

2

1. , . (A)

2. 3가 . (A)

3

1. (cross-sectional study) . (A)

2. - . (A)

3. - . (A)

4. - . (A)

5. (person-year) . (A)

6. Relative risk(,)
. (A)

7. Odds ratio(,) . (A)

8. Rate difference, attributable risk, population attributable risk(,)
. (B)

4


1. , . (A)

2. (blind study) . (A)

3. (placebo) . (A)

4. (random allocation) . (A)

5. . (A)



1

1. , .(B)
2. .(A)
3. .(A)
4. 5가 .(A)
5. , .(B)

2

1. . (A)
2. , .(A)
3. (infectivity), (pathogenicity), (virulence)
4. 가 .(B)
5. .(A)
6. . (A)
7. .(A)
8. .(A)
9. ,
10. .(A)
11. 3 .(A)
12. .(A)
13. ,

- (1) (A)
- (2) (B)
- (3) (B)

- (4) (A)
- (5) (A)
- (6) (A)
- (7) (A)
- (8) (A)
- (9) (, , 가 ,) (B)

3

- 1. (B)
- 2. 1, 2, 3 (A)
- 3. (latent period) (A)

4.

(A)

- (1)
- (2)
- (3)
- (4)
- (5)
- (6)
- (7)
- (8)
- (9)

5.

(A)

- (1)
- (2)
- (3)
- (4)
- (5)
- (6)
- (7) ()
- (8) ()
- (9)
- (10)

4

- 1. (A)
 - 2. (A)
 - 3. (A)
 - 4. 가 가 (A)
- (A)

5.

(B)

3

■ ■ ■ ■

,

.

1 (1)

■ ■ ■ ■

,

.

■ ■ ■ ■

1.

.(A)

2.

.(B)

3.

.(A)

1)

2)

3)

2 (6)

■ ■ ■ ■

,

,

.

가

1

1. .(A)
2. 가 (B) 가
3. .(B)
4. .(B)
5. .(B)
6. .(B)
7. , (pathophysiology),
8. , .(A) (hypothermia) , , .(B)
9. , , .(B)

2

1. .(B)
2. .(B)
3. .
- 1) (A)
- 2) (A)
- 3) 가 (B)
- 4) (A)
- 5) (EMF; electromagnetic field)(A)
- 6) (microwave) (radiofrequency)(A)
4. .(B)
5. (acute radiation syndrome) .(A)
6. .(A)

3


1. , .(A)
2. 가 (hypoxia) .(B)
3. (high altitude acclimatization) .(B)
4. (N₂, CO₂, O₂) .(B)
5. (decompression sickness) , .(A)

4

1. .(B)
2. .(A)

- 3. (B)
- 4. (A)
- 5. (B)

3 (4)



, 가 ,



1

- 1. (A)
- 2. (A)
- 3. (B)

2 가

- 1. 가 가 2 (A)
- 2. 가 (A)

- (1)
- (2) 가
- (3)
- (4)
- (5)
- (6)

3

- 1. (A)
- 2. (A)
- (1) (n-hexane)(A)
- (2) (benzene)(A)
- (3) (toluene)(A)
- (4) (carbon disulfide)(B)
- (5) (TCE)(B)

- (6) (B)
- (7) (ketones)(B)

4

- 1. , .
 - 1) (lead)(A)
 - 2) (mercury)(A)
 - 3) (cadmium)(A)
 - 4) (chromium)(A)
 - 5) (manganese)(A)
 - 6) (aluminum)(B)

5

- 1. (B)


4 (2)



, .



- 1. (A)
- 2. (A)
- 3. (B)
- 4. (A)
- 5. (, , ,) (B)
- 6. (B)
- 7. (A)
- 8. (B)
- 9. (A)
- 10. (B)



1


- 1. .(A)
- 2. .(B)
- 3. .(A)
- 4. .(A)
- 5. .(A)
- 6. 가 (monitoring)
- 7. .(B)
- 8. .(A)
- 9. .(B)
- 10. .(B)
- 11. .(B)
- 12. 가 .(B)

2

- 1. .(B)
- 2. .(A)
- 3. .(B)
- 4. .(A)
- 5. .(A)
- 6. .(B)
- 7. .(B)
- 8. .(B)
- 9. .(B)
- 10. X- .(B)
- 11. (cumulative traumatic disorder : CTD)

.(A)

6 (2)



1.

.(B)

2.

.(B)

3.

가

.(A)

1)

2)

3)

■ ■ ■ ■

,

.

1 (2)

■ ■ ■ ■

.



1. (health policy and management) .
(A)
2. (health care) . (A)
3. 가 . (A)
 - 1) (equity) (accessibility)
 - 2) (comprehensiveness)
 - 3) (quality) (effectiveness)
 - 4) (continuity)
 - 5) (efficiency)
4. . (B)
5. .
- (B)
6. (health care system) .(A)
7. .(A)

2

-

(2)



Empty rectangular box.



1

1.

(A)

- 1) (health behavior)
- 2) (illness behavior)
- 3) (sick role behavior)

2

1.

- 1) (A)
- 2) Suchman (B)
- 3) Andersen (B)

2.

- 1) (B)
- 2)
- 3)

3

1.

(compliance)

(A)

- 1)
- 2)
- 3)

4

1.

(A)

- 1)
- 2) (Health Belief Model)

- 2. .(A)
- 3. .(A)
- 4. .(A)
- 5. .(B)

3 (3)





1

- 1. .(A)
- 2. .(A)
- 3. .(A)

- 1)
- 2)
- 3)

- 4. , 가 .(A)

- 1)
- 2)
- 3)

2

- 1. (quality) .(A)
- 2. .(A)
- 3. 가 .(A)

- 1)
- 2)
- 3)



Large empty rectangular box with a thin black border.



1

- 1. .(A)
- 2. .(A)

2

- 1. .(B)
- 2. .(A)

3

- 1. .(A)
- 2. / .(B)
- 1)
- 2)
- 3)

3. .(A)


1)

2)

3)

4

- 1. .(A)
- 2. .(B)
- 3. 가 .(A)



- 1 ,
1. .(B)
 - 1)
 - 2) ,
 - 3)
 2. .(A)
 - 1)
 - 2)
 - 3)
 - 4)
 - 5) 가
 3. .(B)
- 2
1. .(A)
 2. .(A)
 3. .(A)
 4. 2
 - 1) .(B) 가 :
 - 2) 가 :
 - 3) 가 : ,
 5. ,
 - 1) .(B)
 - 2)
 - (1)
 - (2)

3)
6. (traditional medicine)
. (B)


- 1)
- 2)
- (1)
- (2)
- (3)
- (4)

7.
. (B)

3
1. . (A)
2. . (A)
1)
2)
3)
3. . (A)
4. . (A)
5. . (B)
6. . (A)
1)
2)
3) 가
4) 가
5)

7. . (A)
8. . (A)

1)
2)
3)
4)
5)
9. . (B)



- 1. 가 .(A)
- 2. .(A)
- 3. .(A)
- 4. .(B)

가.

- 1) .
- 2)
- 3)
- 4)
- 5)

.

- 1)
- 2)
- 3)
- 4)

				A	B		A	B	
1.									
1)	1		1	4	0	4	4	0	4
2)	1		1	4	0	4	3	3	6
	2		2	8	0	8	7	3	10
2.									
1)	1		1	6	1	7	5	1	6
2)	1		1	6	0	6	2	2	4
3)	4		4	24	11	35	13	6	19
4)	4		4	16	15	31	15	4	19
5)	6		6	44	15	59	27	9	36
	16		16	96	42	138	62	22	84
3.									
1)	1		1	2	4	6	2	1	3
2)	6		6	33	26	59	13	17	30
3)	4		4	24	20	44	13	7	20
4)	2		2	13	9	22	5	5	10
5)	2		2	17	17	34	10	12	22
6)	2		2	6	10	16	1	2	3
	17		17	95	86	181	44	44	88
4.									
1)	2			7	1	8	5	2	7
2)	2		2	18	16	34	7	4	11
	3		2	27	17	44	7	0	7
3)	2		3	20	18	38	7	3	10
4)	5		2	22	9	31	11	8	19
5)			5	3	14	17	3	1	4
6)									
	14		14	97	75	172	40	18	58
	49		49	296	203	499	153	87	240